

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	("5237614" "5392351" "6438233").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 08:19
S2	143	@ad<"19991222" and (license adj server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 12:40
S3	113	@ad<"19991222" and (license adj server) and request\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 08:20
S4	69	@ad<"19991222" and (license adj server) same request\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 08:20
S5	29	@ad<"19991222" and ((license adj server) same request\$3) and (encod\$3 encrypt\$3 encipher\$3) and (server with key)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 08:23
S6	15	@ad<"19991222" and ((license adj server) same request\$3) and (encod\$3 encrypt\$3 encipher\$3) and (server with key with (decod\$3 decipher\$3 decrypt\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 09:46
S7	1	("20010007128").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/11/30 09:46
S9	1361	@ad<"19991222" and (key with memory with (delet\$3 destroy\$3 eras\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 10:17
S11	0	@ad<"19991222" and (key with memory with (delet\$3 destroy\$3 eras\$3) with each)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 10:18
S12	16	@ad<"19991222" and (key with memory with (delet\$3 destroy\$3 eras\$3) with every)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 10:24
S13	3	@ad<"19991222" and (one-time adj license)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 10:23
S14	0	@ad<"19991222" and ((single adj use) adj license)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 10:23
S15	25	@ad<"19991222" and ((key near2 (delet\$3 destroy\$3 eras\$3)) with memory with (finish\$3 done complet\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 10:25
S16	5	@ad<"19991222" and ((key near2 (delet\$3 destroy\$3 eras\$3)) with memory with (finish\$3 done complet\$3)) and (key with (encod\$3 encrypt\$3 encipher\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 10:25
S17	4	@ad<"19991222" and (license with identif\$7 with encrypt\$3 with algorithm)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 10:45

S18	0	@ad<"19991222" and (license) same (identif\$7 near2 encrypt\$3 near2 algorithm)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 10:45
S19	0	@ad<"19991222" and (license ticket token permission) same (identif\$7 near2 encrypt\$3 near2 algorithm)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 10:45
S20	202	@ad<"19991222" and (license ticket token permission) same (encrypt\$3 near2 algorithm)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 10:45
S21	2	@ad<"19991222" and (license ticket token permission) same (type near2 encrypt\$3 near2 algorithm)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 10:49
S22	1	@ad<"19991222" and (license ticket token permission) same (specif\$7 near2 encrypt\$3 near2 algorithm)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 11:02
S23	5	@ad<"19991222" and (license ticket token permission) with (specif\$7 with encrypt\$3 with algorithm)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 10:49
S24	459	@ad<"19991222" and 705/51,59.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 11:02
S25	265	@ad<"19991222" and 705/51,59.ccls. and algorithm	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 11:03
S26	29	@ad<"19991222" and 705/51,59.ccls. and (algorithm with type)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 11:07
S27	2	@ad<"19991222" and (automatic\$4 with download\$3 with codec)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 11:23
S28	1	"6775655".pn. and (delet\$3 destr\$6 eras\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 12:35
S29	1	("6438233").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/11/30 12:36
S30	1944	(transfer\$4 transmi\$5 send\$3) with code with algorithm	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 12:37
S31	15	(transfer\$4 transmi\$5 send\$3) with code with algorithm with download\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 12:38
S32	2	@ad<"19991222" and (license same expir\$5 same use same (delet\$3 eras\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 12:41

S33	1	@ad<"19991222" and (expir\$5 same ((delet\$3 eras\$3) adj license))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 12:42
S34	6	@ad<"19991222" and (expir\$5 same ((delet\$3 eras\$3) with license))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 12:47
S35	2	((("6625734") or ("5495533")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/11/30 13:24
S36	104	@ad<"19991222" and ((multiple plurality) adj algorithms!) and ((specifie? specify indicat\$3) with (algorithm (type near2 encryption)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 13:27
S37	56	@ad<"19991222" and ((multiple plurality) adj algorithms!) and ((specifie? specify indicat\$3) with (algorithm (type near2 encryption))) and (encrypt\$3 encod\$3 encipher\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 13:30
S38	14	@ad<"19991222" and ((multiple plurality) adj algorithms!) and ((specifie? specify indicat\$3) with (algorithm (type near2 encryption))) and (encrypt\$3 encod\$3 encipher\$3) and (algorithm same (rsa ?des des aes! gamal elgamal))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 13:31
S39	11	@ad<"19991222" and ((multiple plurality) adj algorithms!) and ((specifie? specify indicat\$3) with (algorithm (type near2 encryption))) and (encrypt\$3 encod\$3 encipher\$3) and (algorithm same (rsa ?des! des! aes! gamal elgamal))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 13:40
S40	196	@ad<"19991222" and ((determin\$5) near2 (algorithm (type near2 encryption))) and (encrypt\$3 encod\$3 encipher\$3) and (algorithm same (rsa ?des! des! aes! gamal elgamal))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 13:41
S41	4	@ad<"19991222" and (((determin\$5) near2 (algorithm (type near2 encryption))) with (license ticket permission (policy adj object))) and (encrypt\$3 encod\$3 encipher\$3) and (algorithm same (rsa ?des! des! aes! gamal elgamal))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 13:42
S42	173	@ad<"19991222" and (entitlement adj3 message)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 13:44
S43	18	@ad<"19991222" and ((entitlement adj3 message) same algorithm)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 13:49
S44	37	@ad<"19991222" and (support near3 algorithms!) and (encrypt\$3 encod\$3 encipher\$3) and (algorithm same (rsa ?des! blowfish dea des! aes! gamal elgamal))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 14:30
S45	449	(license with algorithm)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 15:22
S46	1	"20040167857".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 15:26
S47	1	("6266700").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/11/30 15:23

S48	190	726/28.cds.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 15:27
S49	<i>Full</i> { 64	726/31.cds.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 15:26
S50	{ 52	726/33.cds.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 15:26
S51	148	726/10.cds.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 15:27
S52	<i>ABS + KWIL</i> { 10	726/28.cds. and (attribute with server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 15:29
S53	170	380/279.cds.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 15:29
S54	<i>ABS + KWIL</i> { 17	380/279.cds. and (both with algorithm with key)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 15:31
S55	1069	705/51.cds.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 15:31
S56	502	705/59.cds.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 15:31
S57	<i>ABS + KWIL</i> { 31	(S55 S56) and (both with algorithm with key)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/30 15:31

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	298	@ad<"19991222" and (license same version)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/01 06:15
L2	<i>kwil</i> 29	@ad<"19991222" and (license same version same algorithm)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/01 06:19
L3	0	@ad<"19991222" and (which near3 algorithm near4 (used using)) and (\$crypt\$3) and (?des! des! aes! rsa blowfish)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/01 06:20
L4	0	@ad<"19991222" and (which near3 algorithm near4 (used using))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/01 06:21
L5	0	@ad<"19991222" and (which with algorithm with (used using))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/01 06:21
L6	<i>kwil</i> 9	@ad<"19991222" and cryptor	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/01 06:25
L7	<i>kwil</i> 1	@ad<"19991222" and akamai.as. and \$crypt\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/01 06:25
S2	143	@ad<"19991222" and (license adj server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/01 06:15